



Assembly Instructions

For Lifestyle Crib

Model shown is example only. Styles may vary

Furniture Care Instructions

Room Climate Control

Wood, when first cut contains more than 50 percent water. When it is prepared for furniture construction it is placed in a Kiln and the moisture content is brought down to 8 to 10 percent. Wood is porous and responds to its environment. If the room has high humidity it will absorb it and expand and if the humidity is low it will lose moisture and shrink.

It is important that the humidity levels in the room be controlled from extremes of too much humidity or too little. Furniture should not be placed close to air-conditioning outlets, fire places, radiators, space heaters, humidifiers or dehumidifiers. Exposure to extreme variations of temperature and humidity can damage any fine wood product.

The Ideal Environment for Fine Furniture

Fine wood furniture will have fewer problems when its environment is controlled at a temperature between 65 and 75 degrees and a relative humidity between 35 and 40 percent. Wood placed in an environment outside of those limits can and will shrink or expand and may develop some small cracks which are not material or structural defects.

Sticking Doors and Drawers

With the minor changes in temperature and humidity doors and drawers may swell and be difficult to open or close. Tolerances have been built into the units but extreme conditions may still cause sticking. This will adjust back to normal over time but until it does consider using a dehumidifier or rub candle wax or paraffin on the sides that stick.

Avoid Direct Sunlight

Keep the furniture out of direct sunlight. Ultraviolet rays will fade colors and in some cases darken them. It can also cause crazing or hair line cracks in the finish. White finishes will yellow naturally over time and exposure to direct sunlight will hasten this natural process along with some woods darkening naturally over time; this is not considered to be a quality defect.

Proper Storage

If you need to put your furniture in storage for any period of time do not store them in a damp basement or hot dry attic. Allow air movement around the furniture and do not stack anything on it.

In General

- Protect furniture surface from hot or extremely cold items.
- Use coasters under hot or cold beverages
- Do not use synthetic fabric under accessories or lamps
- Protect tops from pens, markers and crayons
- Oils from potpourri and other scented items can damage the furniture finish.
- Do not drag items across the surface of the furniture.
- Allow the surface to breath by rotating your accessories and lamps.
- Do not over polish the furniture, do it only two or three times a year. Over polishing can distort the natural finish of the product.
- Do not wax the furniture as wax build up can destroy the natural finish of the product.
- When moving furniture always lift the unit. Do not push or drag it to avoid damage to legs
- Keep the furniture level so doors and drawers open and close freely.
- Clean with a damp, not wet, cloth. Use only a mild soap. Do not use abrasive cleaners.

STOP

**IF YOU EXPERIENCE ANY
ISSUES WITH THIS PRODUCT**

**BEFORE YOU
RETURN THIS TO
THE RETAILER**

**PLEASE FOLLOW
PROCEDURES ON THE
REVERSE SIDE OF THIS FORM.**

Product Assistance Procedures

You have purchased a quality piece of furniture. Our international team has spent many hours designing and engineering this piece and packaging to ensure you will be satisfied with your purchase. But if for any reason you need help with your purchase please contact us at any time.

Procedures to follow should you have any questions:

For best and most timely service please contact us by e-mail at info@lajobi.com

Please provide the following information in your e-mail.

1. Your Name _____
2. Address _____

3. Phone number _____
4. Place and date of purchase _____

5. Item number and description of your product. _____

The item number can be found on the back of the case or on the foot/headboard of the crib. Please include all numbers found on that label including the PO# and production date.

6. Short description of the issues and attach a photo if possible.

Someone will contact you via e-mail or phone to help you with your issues.

If you do not have internet access, please fax the above information to 609-409-5809

If you do not have internet or fax access, please call us at 888-266-2848 and be sure to have all the above information ready to give to your Client Service Specialist.

WARNING!

- FAILURE TO FOLLOW THESE WARNINGS AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.
- TO REDUCE THE RISK OF SIDS, PEDIATRICIANS RECOMMEND HEALTHY INFANTS BE PLACED ON THEIR BACKS TO SLEEP, UNLESS OTHERWISE ADVISED BY YOUR PHYSICIAN.
- CHECK THIS PRODUCT FOR DAMAGED HARDWARE, LOOSE JOINTS, MISSING PARTS OR SHARP EDGES BEFORE AND AFTER ASSEMBLY AND FREQUENTLY DURING USE.
- **DO NOT USE THIS CRIB IF ANY PARTS ARE MISSING, DAMAGED OR BROKEN. CONTACT LAJOBI INC. 257 PROSPECT PLAINS RD. CRANBURY NJ 08512 FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE IF NEEDED. DO NOT SUBSTITUTE PARTS.**
- **DO NOT USE A WATER MATTRESS WITH THIS CRIB.**
- READ ALL INSTRUCTIONS BEFORE ASSEMBLING CRIB. **KEEP INSTRUCTIONS FOR FUTURE USE.**
- IF REFINISHING, USE A NON-TOXIC FINISH SPECIFIED FOR CHILDREN'S PRODUCTS.

STRANGULATION HAZARD:

- STRINGS CAUSE STRANGULATION! DO NOT PLACE ITEMS WITH A STRING AROUND A CHILD'S NECK, SUCH AS HOOD STRINGS OR PACIFIER CORDS. **DO NOT** SUSPEND STRINGS OVER A CRIB OR ATTACH STRINGS TO TOYS.
- TO HELP PREVENT STRANGULATION TIGHTEN ALL FASTENERS. A CHILD CAN TRAP PARTS OF BODY OR CLOTHING ON LOOSE FASTENERS.
- **DO NOT** PLACE CRIB NEAR WINDOW WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.
- INFANTS CAN SUFFOCATE ON SOFT BEDDING.
- NEVER ADD A PILLOW, COMFORTER OR PADDING.
- NEVER USE PLASTIC SHIPPING BAGS OR ANY PLASTIC FILM AS MATTRESS COVERS, BECAUSE THEY CAN CAUSE SUFFOCATION.
- INFANTS CAN SUFFOCATE IN GAPS BETWEEN CRIB SIDES AND A MATTRESS THAT IS TOO SMALL. **ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27-1/4 INCHES (69 CENTIMETERS) BY 51-5/8 INCHES (131 CENTIMETERS), WITH A THICKNESS NOT EXCEEDING 6 INCHES (15 CENTIMETERS).** THE DIMENSIONS OF THE MATTRESS SHALL BE TAKEN FROM SEAM TO SEAM OR EDGE TO EDGE WHERE APPROPRIATE.

FALL HAZARD:


- WHEN CHILD IS ABLE TO PULL TO STANDING POSITION, SET MATTRESS TO LOWEST POSITION AND REMOVE BUMPER PADS, LARGE TOYS AND OTHER OBJECTS THAT COULD SERVE AS STEPS FOR CLIMBING OUT.
- AFTER RAISING SIDE, MAKE SURE LATCHES ARE SECURE (*DISREGARD FOR NON-DROP SIDE CRIB*).
- **DO NOT** LEAVE CHILD IN CRIB WITH SIDES LOWERED. BE SURE SIDE IS IN RAISED AND LOCKED POSITION WHENEVER CHILD IS IN CRIB (*DISREGARD FOR NON-DROP SIDE CRIB*).
- WHEN THE CHILD IS ABLE TO CLIMB OUT OR REACHES THE HEIGHT OF 35 INCHES (90 CENTIMETERS), THE CRIB SHALL NO LONGER BE USED.
- WHEN STORING CRIB USE CAUTION AS EXTREME CHANGES IN TEMPERATURE OR HUMIDITY CAN COMPROMISE THE CRIB MAKING IT EXTREMELY DANGEROUS TO YOUR CHILD.
- USE CAUTION WHEN A VAPORIZER OR HUMIDIFIER IS IN USE. ALWAYS AIM VAPOR AWAY FROM THE CRIB AS WELL AS ANY OTHER WOODEN FURNITURE. PROLONGED PERIODS OF HUMIDITY IN STORAGE AS WELL AS THE HOME CAN COMPROMISE THE CRIB.
- AVOID USING VAPORIZERS AND HUMIDIFIERS FOR PROLONGED PERIODS OF TIME.

Thank you for choosing a Bonavita Product. To ensure the best performance from your crib, please read the following instructions carefully.

Carefully remove and lay out all parts. Familiarize yourself with all exhibits and diagrams to facilitate the assembly of your crib.

Please call Lajobi with any comments or questions, Do not return to retailer.


TOOLS REQUIRED: Phillipshead and slotted screwdriver, Allen wrench (supplied).




IMPORTANT : DO NOT USE POWER DRILLS OR DRIVERS

PARTS ENCLOSED IN CARTON Model shown is example only. Styles may vary


A (2) Stabilizer Bars




B (1) Mattress Spring with Support Brackets




C (1) Headboard



D (2) Crib Sides




E (1) Footboard



F (1) Guardrail (**Not included, Sold separately**)




G (2) Bedrails(**Not included, Sold separately**)




PARTS ENCLOSED IN HARDWARE BAG


H (8) Allen head Bolt 3-1/8"




I (14) Nylon Washer




J (14) Barrel Nut



K (8) Philips head Screw 1-1/4"




L (8) Wing Nut




M (1) Allen Wrench




N (6) Allen head Bolt 2-3/4"




O (6) Allen head Bolt 2"



P (6) End Cap



Q (6) Allen head Bolt 1-1/4"



Note: Any hardware left over after crib assembly should be saved with instructions for use during guard rail or day bed conversions.

CARE & MAINTENANCE

WHEN CLEANING YOUR CRIB, USE A NON-TOXIC, NON ABRASIVE CLEANER. MIX A SOLUTION OF WATER WITH A SMALL AMOUNT OF A MILD DISHWASHING LIQUID. APPLY TO CRIB SURFACE WITH A SOFT DAMP CLOTH LIGHTLY DAMPENED IN SOLUTION. AFTER CLEANING, DRY COMPLETELY WITH A SOFT DRY CLOTH.




Model shown is example only. Styles may vary

STEP 1 Assembly of Crib Sides and Stabilizer Bars

THIS STEP REQUIRES:


2 STABILIZER BARS (A)
LEFT & RIGHT CRIB SIDE (D)




(8) Allen head Bolt 3-1/8" (H)



(8) Nylon Washers (I)




(8) Barrel Nut (J)




(1) Allen Wrench (M)

Figure 1:



Model shown is example only. Styles may vary


- A. Attach one stabilizer bar to both the left and right sides as shown.
 - B. Start by inserting the Barrel Nut into the predrilled holes in the stabilizer bar. Refer to figure 1 to make sure the threaded hole in the center of the Barrel Nut is properly aligned to capture the Allen head bolt.
- NOTE:** Make sure that the Barrel Nut is inserted with slotted end facing out
- C. To attach the stabilizer bar on the crib right side (front), insert the 3-1/8" Allen head bolts through the nylon washers, then through the pre-drilled holds on the crib right side, and finally into the holes in the end of the stabilizer bar to join with the Barrel Nut. Tighten with the Allen wrench (figure 1A). Repeat on left side. (back)



STEP 2 Attaching the Spring

THIS STEP REQUIRES:

(1) Mattress spring (B)




(8) Phillips head Screw 1-1/4" (K)



(8) Wing Nut (L)

A. Open each support bracket on the mattress spring to form a "Y". (fig. 2)

Figure 2:



B. Insert the Phillips head screw through the stabilizer bar, then through the support bracket and tighten securely with a wing nut. (fig. 2A & 2B)

C. The 3 holes along the sides of the mattress spring are used for height adjustment. (fig. 2A) Select a hole for the desired height and then insert a Phillips head screw through the mattress spring, then through the support bracket and tighten securely with a wing nut. Repeat for the remaining brackets.

NOTE: We recommend setting the spring in the highest position for newborn babies. Lower the mattress spring as the child grows and becomes more mobile.

Model shown is example only. Styles may vary.

Figure 2A:





Figure 2B:






STEP 3 Headboard Installation

THIS STEP REQUIRES:

Headboard (C)

(6) Barrel Nut (J)


(6) Allen head Bolt 2-3/4" (N)



(1) Allen Wrench (M)

Figure 3:

Model shown is example only.
Styles may vary




- A. Attach 2 Barrel Nut into the top and 4 into the bottom of left and right crib side.
- B. Attach the headboard, using the 6 Allen head bolts to the left and right crib sides into the pre-drilled holes (fig. 3). Secure with Allen wrench.

STEP 4 Footboard Installation (Crib)

THIS STEP REQUIRES:

FOOTBOARD (E)

(6) Allen head Bolt 2" (O)



(1) Allen Wrench (M)





Figure 4:

Model shown is example only.
Styles may vary

Note: Pre-thread the six (6)
Allen head bolts in the threaded
inserts before fully tightening
the footboard.



A. Attach the footboard, using the 6 Allen head bolts as shown
B. Insert the 2" Allen head bolts through the inside edge of
the crib side and into the threaded inserts of the footboard (fig.4).
Secure with Allen wrench.


Note: 2" Allen head bolts will be used later when converting
the Lifestyle crib into a toddler bed (step 5)

STEP 5 Guard Rail Installation (Toddler Bed)


THIS STEP REQUIRES:

GUARDRAIL (F)


(Not included, Sold separately)




(4) Allen head Bolt 2" (O)




(2) Allen head Bolt 1-1/4" (Q)



(2) Nylon Washer (I)



(2) End Cap (P)




(1) Allen Wrench (M)

Figure 5:

WARNING

- WHEN CONVERTING THIS CRIB TO A TODDLER BED, SEE WARNING ON PAGE 14 OF THESE ASSEMBLY INSTRUCTIONS.

Note: Assembly is easier if the two (2) bottom Allen head bolts are pre-threaded first before threading the two (2) top Allen head bolts.



A. Remove the footboard, as shown in figure 4, Step 4.

B. Attach the guard rail using the 4 Allen head bolts that were used to attach the footboard. Insert the 2" Allen head bolts first through the inside edge of the crib side, then through the threaded inserts in the guard rail (fig.5). Tighten with the Allen wrench.

C. Insert the 1-1/4" Allen bolts into the remaining top holes in the crib side legs by first inserting the 1-1/4" Allen head bolt through the nylon washer and then through the crib side as shown in Figure 5. Secure with end cap. Tighten with Allen wrench.

STEP 6 Day Bed Conversion

THIS STEP REQUIRES:





Figure 6:



A. Remove the footboard, as shown in step 4 or remove the toddler rail as shown in figure 5.

B. Insert the 1-1/4" Allen head bolt first through the nylon washer then through the crib side. Secure with an end cap (fig. 6). Tighten with the Allen wrench.

WARNING! **For Toddler Bed Use**

- FAILURE TO FOLLOW THESE WARNINGS AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH FROM ENTRAPMENT OR STRANGULATION.
- **DO NOT** PLACE BED NEAR WINDOWS WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.
- THE MATTRESS INTENDED FOR USE ON THE BED SHALL BE A FULL-SIZE CRIB MATTRESS HAVING THE DIMENSIONS OF 51 5/8 in. (1310 mm) IN LENGTH AND 27 1/4 in. (690 mm) IN WIDTH AND THICKNESS OF 4 in. (100 mm) OR A GREATER THICKNESS AS SPECIFIED BY THE MANUFACTURER.
- THE MINIMUM AGE OF THE INTENDED USER SHALL NOT BE LESS THAN 15 MONTHS AND THE MAXIMUM WEIGHT SHALL NOT BE GREATER THAN 50 LBS. (22.7 KG).



257 Prospect Plains Road
Cranbury, NJ 08512
Phone: 888-266-2848, 609-409-2495
Fax: 609-409-5809